

Report v1

Letting ID: 230602 Call Number: 001 **Proposal ID:** 77000-218125

Description: 4.66 mi of hot mix asphalt cold milling and resurfacing, aggregate shoulders and pavement markings on Krafft Road from North Road to State Road, Lapeer Road from Allen Road to Michigan Road and Metcalf Road from State Road to Lakeshore Road (M-25), St. Clair County. This is a Local Agency project. ** 780 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be

designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
218125A	23A0403		STUL 77000

Location: Krafft Road from North Road to State Road.

Route:

218127A 23A0413 STUL 77000

Location: Lapeer Road from Allen Road to Michigan Road.

Route:

218133A 23A0405 STUL 77000

Location: Metcalf Road from State Road to Lakeshore Road (M-25).

Route:

Classification Ratings

Cb = 68.28%Ea = 2.55%MOT = 6.82%Misc = 10.17%

N3 = 1.79%N93A = 10.39%

m Description	Item ID	Quantity	Units
obilization, Max\$67,400.00	1100001	1.000	LSUM
oject Cleanup	2090001	1.000	LSUM
annelizing Device, 42 inch, Fluorescent, Furn	8120035	534.000	Ea
nannelizing Device, 42 inch, Fluorescent, Oper	8120036	534.000	Ea
0	ject Cleanup annelizing Device, 42 inch, Fluorescent, Furn	eigect Cleanup 2090001 annelizing Device, 42 inch, Fluorescent, Furn 8120035	rject Cleanup 2090001 1.000 annelizing Device, 42 inch, Fluorescent, Furn 8120035 534.000





Cost Summaries For Primes

Report v1

Letting ID: 230602 **Call Number:** 002 **Proposal ID:** 38000-206639

Description: 5.08 mi of hot mix asphalt overlay, shoulders, culvert replacement, guardrail upgrades and pavement

markings on Sharon Valley Road from Austin Road to the Washtenaw County line, Jackson County.

This is a Local Agency project. ** 1162 Cb **

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
206639A	23A0476		STL 38000

Location: Sharon Valley Road from Austin Road to the Washtenaw County line.

Route:

Classification Ratings

Cb = 71.24% Ea = 9.63% I = 0.10% MOT = 6.64%

Misc = 8.68% N3 = 1.69% N96L = 2.03%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$97,500.00	1100001	1.000	LSUM
0120	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	160.000	Ea
0125	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	160.000	Ea
0180	Monument Box Adj	8210005	4.000	Ea



Report v1

Letting ID: 230602 **Call Number:** 003 **Proposal ID:** 13000-218248

Description: 1.12 mi of hot mix asphalt cold milling and resurfacing, concrete curb, gutter, sidewalk and ramps,

berm grading and pavement markings on North Avenue from East Roosevelt Avenue to West Coolidge Avenue and 6 Mile Road from West Coolidge Avenue to Morgan Road in the city of Battle Creek, Calhoun County. This is a Local Agency project. ** 570 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified

subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed

low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
218248A	23A0475		STUL 13000

Location: North Avenue from East Roosevelt Avenue to West Coolidge Avenue.

Route:

218252A 23A0462 STUL 13000

Location: 6 Mile Road from West Coolidge Avenue to Morgan Road.

Route:


Classification Ratings

B = 0.11% Cb = 48.33% Ea = 6.58% I = 1.09%

J = 5.01% K = 1.71% MOT = 8.85% Misc = 14.35%

N3 = 2.82% N6 = 0.70% N93A = 10.46%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$58,000.00	1100001	1.000	LSUM
0015	_Pavt, Rem, Modified	2047011	3.000	Syd
0020	_Sidewalk, Rem, Modified	2047011	260.000	Syd
0100	Post, Mailbox	8070095	14.000	Ea
0175	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	117.000	Ea
0180	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	117.000	Ea
0240	Contractor Staking	8240001	1.000	LSUM
0245	Staking Plan Errors and Extras, Max \$180/hour	8240002	16.000	Hr





Cost Summaries For Primes

Report v1

Letting ID: 230602 **Call Number:** 004 **Proposal ID:** 27000-218357

Description: 1.25 mi of hot mix asphalt cold in place recycling and resurfacing, aggregate shoulders and pavement

markings on Van Buskirk Road from Norrie Park Road to Clemens Street in the city of Ironwood,

Gogebic County. This is a Local Agency project. ** 462 Cb **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Numb	er Federal Item Nu	ımber Control Section
218357A	23A0461		STUL 27000
Location: Van Buskir	k Road Norrie Park Road to Cl	emens Street.	
Route:			
Classification Ratir	ngs		
Cb = 58.72%	Ea = 3.73%	MOT = 6.38%	Misc = 30.38%

N3 = 0.76% N92D = 0.03%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$43,000.00	1100001	1.000	LSUM
0050	Post, Mailbox	8070095	24.000	Ea
0095	Monument Preservation	8210010	3.000	Ea
0100	_Asphalt Stabilizing Material	8507022	36,230.000	Gal

N94B = 0.42%



Cost Summaries For Primes

Report v1

Letting ID: 230602 **Call Number:** 005 **Proposal ID:** 14000-211842

Description: 0.16 mi of construction of a roundabout including hot mix asphalt reconstruction, concrete pavement,

curb and gutter, storm sewer, signing and pavement markings on Gumwood Road at Redfield Street, Cass County. This is a Local Agency project. ** 872 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Cb. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor.

This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
211842A	23A0479		HSIP 14000
Location: Gumwood Road	I at Redfield Street.		
Route:			
Classification Ratings			
B = 3.10%	Cb = 18.29%	Ea = 37.53%	I = 4.19%
J = 9.74%	K = 9.73%	MOT = 4.13%	Misc = 8.78%


N6 = 0.90%

N3 = 1.78%

N96M = 0.26%

N2 = 1.15%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$76,000.00	1100001	1.000	LSUM
0275	Plastic Drum, Fluorescent, Furn	8120252	20.000	Ea
0280	Plastic Drum, Fluorescent, Oper	8120253	20.000	Ea





Report v1

Letting ID: 230602 **Call Number:** 006 **Proposal ID:** 39000-215021

Description: Bridge reconstruction including removal and replacement with 17-inch prestressed concrete box

beams and approach work on Inkster Road over Bronson Boulevard in the city of Kalamazoo,

Kalamazoo County. This is a Local Agency Project. ** 1639 Fa **

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
215021A	23A0460		BO 39000
Location: Inkster Road over	er Bronson Boulevard. (Structure	e 4684)	
Route:			
Classification Ratings			
B = 0.86%	Cb = 2.42%	Ea = 4.03%	Fa = 49.49%

Fb = 8.93%	I = 0.12%	J = 1.31%	K = 0.82%
L = 1.55%	MOT = 6.47%	Misc = 11.80%	N2 = 0.09%

N3 = 0.13% N6 = 0.01% N7 = 1.94% N91B = 2.80%

N93A = 0.02% N95D = 4.28% N96L = 1.57% N96M = 1.37%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$149,000.00	1100001	1.000	LSUM
0010	_Clearing, Modified	2017011	159.000	Syd
0065	_Fence, Rem, Modified	2047001	301.000	Ft
0320	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0325	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0370	_Geocellular Confinement System	8167011	222.000	Syd
0375	_Hydroseeding	8167011	154.000	Syd
0535	_Utility Protection	8007001	60.000	Ft
0565	_Light Standard, Decorative Luminaire, Modified	8197051	1.000	LSUM





Cost Summaries For Primes

Report v1

Letting ID: 230602 Call Number: 007 **Proposal ID:** 38000-207167

Description: 1.03 mi of hot mix asphalt cold in-place recycling, striping, ditch cleanout, spot guardrail and pavement markings on Badgley Road from Horton Road to Stonewall Road, Jackson County. This is a Local

Agency project. ** 644 Cb **

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section		
207167A	23A0477		STUL 38000		
Location: Badgley Road from Horton Road to Stonewall Road.					
Route:					
Classification Ratings					
Cb = 61.44%	Ea = 4.39%	I = 1.75%	K = 1.16%		

MOT = 7.00%Misc = 10.22%N3 = 5.09%N91B = 0.17%

N96L = 7.99%N93A = 0.78%

Item Description	Item ID	Quantity	Units
Mobilization, Max\$60,000.00	1100001	1.000	LSUM
Dr Structure, Temp Lowering	4030390	6.000	Ea
Channelizing Device, 42 inch, Fluorescent, Furn	8120035	200.000	Ea
Channelizing Device, 42 inch, Fluorescent, Oper	8120036	200.000	Ea
	Mobilization, Max\$60,000.00 Dr Structure, Temp Lowering Channelizing Device, 42 inch, Fluorescent, Furn	Mobilization, Max\$60,000.00 1100001 Dr Structure, Temp Lowering 4030390 Channelizing Device, 42 inch, Fluorescent, Furn 8120035	Mobilization, Max\$60,000.00 1100001 1.000 Dr Structure, Temp Lowering 4030390 6.000 Channelizing Device, 42 inch, Fluorescent, Furn 8120035 200.000





Cost Summaries For Primes

Report v1

Letting ID: 230602 **Call Number:** 008 **Proposal ID:** 50000-212277

Description: Bridge replacement including 17-inch side by side prestressed concrete box beam superstructure and

approach work on Archer Drive over Channel to Lake St. Clair, Macomb County. This is a Local

Agency project. ** 2358 Fa **

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
212277A	23A0483		BO 50000
Location: Archer Drive ove	r Channel to Lake St. Clair.		
Route:			
Classification Ratings			
B = 6.80%	Ba = 0.02%	Cb = 1.91%	Ea = 7.72%
Fa = 33.16%	Fb = 5.38%	J = 0.72%	K = 0.70%
MOT = 3.95%	Misc = 12.72%	N2 = 0.01%	N3 = 0.18%
N6 = 0.07%	N7 = 0.18%	N91B = 2.02%	N94B = 0.14%
N95C = 18.80%	N95D = 4.53%	N96L = 0.99%	

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$230,000.00	1100001	1.000	LSUM
0020	_Pavt, Rem, Modified	2047011	1,364.000	Syd
0050	Project Cleanup	2090001	1.000	LSUM
0205	Post, Mailbox	8070095	5.000	Ea
0320	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0325	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea
0360	Plastic Drum, Fluorescent, Furn	8120252	10.000	Ea
0365	Plastic Drum, Fluorescent, Oper	8120253	10.000	Ea
0415	_Turf Establishment	8167011	2,200.000	Syd
0630	_Riprap, Plain, Modified	8137011	120.000	Syd



Report v1

Letting ID: 230602 Call Number: 009 Proposal ID: 82121-216899

Description: 3.02 mi of hot mix asphalt cold milling and resurfacing, detail 7 joint repairs, concrete curb and gutter repairs, curb ramp upgrades, storm sewer replacement and pavement markings on M-5 from the Rouge River northerly to M-102 in the cities of Detroit, Livonia and Redford, Wayne County. This project includes a 3 year materials and workmanship pavement warranty. ** 6360 Cb or Comb/Jt. 6360 N9-3A, N9-3G **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, N9-3A and N9-3G. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 6.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section			
216899A	23A0544		NH 82121			
Location: M-5 (Grand River Avenue) from Rouge River north to M-102 (Eight Mile Road).						
Route: M-5						
Classification Batings						

Classification Ratings			
B = 0.01%	Ba = 0.65%	Cb = 42.21%	Ea = 2.76%
J = 7.95%	K = 0.17%	L = 0.13%	MOT = 6.51%
Misc = 13.11%	N3 = 4.93%	N6 = 0.07%	N93A = 10.47%
N93C = 0.01%	N93D = 0.18%	N93G = 10.72%	N94A = 0.11%

N94B = 0.02%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$578,300.00	1100001	1.000	LSUM
0040	Project Cleanup	2090001	1.000	LSUM
0180	_Bus Stop, Temp	8007050	9.000	Ea
0185	_Vibration Monitoring, Utility	8007051	1.000	LSUM
0355	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	500.000	Ea
0360	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	500.000	Ea
0390	Plastic Drum, Fluorescent, Furn	8120252	1,500.000	Ea
0395	Plastic Drum, Fluorescent, Oper	8120253	1,500.000	Ea
0475	_Turf Establishment, Performance	8167011	2,741.000	Syd





Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
0495	Monument Box	8210001	1.000	Ea
0500	Monument Box Adj	8210005	1.000	Ea
0505	Monument Preservation	8210010	1.000	Ea
0510	Protect Corners	8210020	1.000	Ea
0520	Contractor Staking	8240001	1.000	LSUM
0525	Staking Plan Errors and Extras, Max \$180/hour	8240002	63.000	Hr





Cost Summaries For Primes

Report v1

Letting ID: 230602 Call Number: 010 **Proposal ID:** 53034-212764

Description: Replacement of rest area sewage lift station on US-31NB at Ludington Rest Area, Mason County. ** 237 Fd **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section			
212764A	23A0553		NH 53034			
Location: US-31NB at Ludington Rest Area.						
Route:						
Classification Ratings						

Ea = 0.62%

K = 1.13%MOT = 4.69%Misc = 92.45%

N2 = 1.10%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$21,600.00	1100001	1.000	LSUM
0030	Project Cleanup	2090001	1.000	LSUM
0035	_Sewage Pump Station	8007051	1.000	LSUM
0040	_Sewage Pump Station, Rem	8007051	1.000	LSUM
0060	Plastic Drum, Fluorescent, Furn	8120252	35.000	Ea
0065	Plastic Drum, Fluorescent, Oper	8120253	35.000	Ea
0085	_Turf Establishment, Performance	8167011	700.000	Syd
0090	Contractor Staking	8240001	1.000	LSUM
0095	Staking Plan Errors and Extras, Max \$180/hour	8240002	4.000	Hr



Report v1

Letting ID: 230602 Call Number: 011 **Proposal ID:** 52041-201941-2

Description: 0.18 mi of hot mix asphalt reconstruction for construction of a roundabout, drainage work, guardrail, retaining walls, lighting, signing, pavement markings, bridge widening with steel beams, deck replacement, bridge barrier construction and approach work on US-41/M-28 at Lakeshore Drive and Business M-28 in the city of Ishpeming, Marquette County. This project includes a 5 year materials and workmanship pavement warranty. ** 5762 Fa or Comb/Jt. 5762 Cb, Ea or Comb/Jt. 5762 Ea, J **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ea and Fa. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%


Project Information

Project Number	Federal Project Number	Federal Item Numbe	er Control Section
201941A	23A0153		HSIP 52041
Location: US-41/M-28 at La	akeshore Drive.		
Route: US-41			
Classification Ratings			
B = 2.67%	Ba = 0.27%	Cb = 8.91%	Ea = 12.31%
Fa = 20.53%	Fb = 4.81%	H = 0.87%	I = 1.02%
ITS = 0.02%	J = 9.00%	K = 4.91%	L = 4.99%
MOT = 3.08%	Misc = 13.74%	N2 = 0.01%	N3 = 2.57%
N4 = 0.24%	N6 = 0.61%	N7 = 0.06%	N91A = 2.73%
N91B = 3.05%	N91C = 0.14%	N94B = 0.05%	N95C = 2.44%
N96L = 0.94%			

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Inspection and Flagging, Wisconsin Central Ltd	1047060	37,500.000	Dlr
0010	_Railroad Protection, Wisconsin Central Ltd	1047060	10,000.000	Dlr
0015	Mobilization, Max\$524,000.00	1100001	1.000	LSUM
0045	_Abandoned Utility, Rem	2037001	1,000.000	Ft
0050	_Monitoring Well, Abandon	2037050	1.000	Ea
0445	_Segmental Wall, Leveling Pad	8007001	60.000	Ft

Page: 12 of 67





Report v1

Line Num	Item Description	Item ID	Quantity	Units
0450	_Segmental Wall, Reinf, Furn	8007010	415.000	Sft
0455	_Segmental Wall, Reinf, Install	8007010	415.000	Sft
0785	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	30.000	Ea
0790	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	30.000	Ea
0855	Plastic Drum, Fluorescent, Furn	8120252	240.000	Ea
0860	Plastic Drum, Fluorescent, Oper	8120253	240.000	Ea
1335	_Controller, NEMA, ATC Type	8207050	1.000	Ea
1340	Monument Box	8210001	1.000	Ea
1345	Monument Preservation	8210010	1.000	Ea
1365	Contractor Staking	8240001	1.000	LSUM
1370	Staking Plan Errors and Extras, Max \$180/hour	8240002	57.000	Hr
1610	Structure Survey During Construction(B04 of 52041)	8240020	1.000	LSUM





Cost Summaries For Primes

Report v1

Letting ID: 230602 Call Number: 012 **Proposal ID:** 09032-209495


Description: Traffic signal modernizations and sidewalk ramp upgrades on M-13 at 5 intersections, Bay County. ** $1361 L^{**}$

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	cr Control Section
209495A	23A0552		STG 09032
Location: On M-13 at 5 loc	ations.		
Route:			
Classification Ratings			
B = 0.33%	Ba = 0.48%	Cb = 0.91%	Ea = 3.31%
I = 0.17%	ITS = 0.42%	J = 4.74%	K = 0.90%
L = 71.71%	MOT = 5.90%	Misc = 9.79%	N3 = 1.33%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$123,800.00	1100001	1.000	LSUM
0095	_Dewatering System for Petroleum Contaminated Groundwater, Site	8007051	1.000	LSUM
0165	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	120.000	Ea
0170	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	120.000	Ea
0190	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0195	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea



N6 = 0.54%



Cost Summaries For Primes

Report v1

Letting ID: 230602 Call Number: 013 **Proposal ID:** 50011-215324

Description: Traffic signal installation, concrete curb and gutter, sidewalk, sidewalk ramps and pavement markings

on M-53 (Van Dyke Avenue) at the Warren Fire Station north of 9 Mile Road in the city of Warren, Macomb County. ** 304 L **

Misc = 15.72%

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	er Federal Item N	Number Control Section
215324A	N/A		M 50011
Location: M-53 (Van l	Dyke Avenue at the Warren Fir	e Station north of 9 Mile Roa	d
Route:			
Classification Rating	gs		
B = 0.07%	Ba = 0.12%	Cb = 0.20%	Ea = 6.80%
I = 0.36%	ITS = 0.33%	J = 4.05%	L = 62.39%

N3 = 0.52%

List of Items by Section

MOT = 8.90%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$27,700.00	1100001	1.000	LSUM
0085	_Managed Field Ethernet Switch, Fiber Capable	8007050	1.000	Ea
0195	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0200	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea
0360	Span Wire Tether	8200142	3.000	Ea
0430	_Controller, NEMA, ATC Type	8207050	1.000	Ea
0435	Contractor Staking	8240001	1.000	LSUM
0440	Staking Plan Errors and Extras, Max \$180/hour	8240002	3.000	Hr



Report v1

Letting ID: 230602 **Call Number:** 014 **Proposal ID:** 82211-210114

Description: Bridge reconstruction including superstructure replacements of 2 structures with rolled steel beams,

pier cap replacements, abutment repairs and retrofit, traffic signal modernization, concrete curb, gutter and sidewalk ramps, guardrail replacement, signing and pavement markings on M-85 over Ecorse Creek in the cities of Lincoln Park and Detroit, Wayne County. This project includes a 2 year warranty

on concrete surface coating. ** 4702 Fa **

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
210114A	23A0545		ST 82211
Location: M-85 over Ecore	o Crook (R04-82211 and R05-82211)		

Location: M-85 over Ecorse Creek. (B04-82211 and B05-82211)

Route: M-85

211955A 23A0548 STG 82211

Location: M-85 at Outer Drive.

Route:


Classification Ratings

B = 4.60%	Ba = 0.12%	Cb = 0.40%	Ea = 11.96%
Fa = 35.90%	Fb = 3.64%	G = 0.88%	I = 0.28%
ITS = 0.02%	J = 1.30%	K = 0.28%	L = 9.19%
MOT = 9.31%	Misc = 17.85%	N2 = 0.05%	N3 = 1.06%
N4 = 0.03%	N6 = 0.08%	N7 = 0.43%	N91A = 0.32%
N91B = 1.50%	N91C = 0.34%	N96L = 0.39%	N96M = 0.06%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0010	_Audio-Visual Filming	1047051	1.000	LSUM
0015	_Relocation and Site Cleanup (B04 of 82211)	1077051	1.000	LSUM
0020	_Relocation and Site Cleanup (B05 of 82211)	1077051	1.000	LSUM
0025	Critical Path Method Schedule	1080005	15,000.000	Dlr
0030	Mobilization, Max\$427,500.00	1100001	1.000	LSUM
0045	_Abandon Utility, Rem	2037001	135.000	Ft
0120	Project Cleanup	2090001	1.000	LSUM

Page: 16 of 67





Report v1

Line Num	Item Description	Item ID	Quantity	Units
0265	_Vibration Monitoring, Utility	8007051	1.000	LSUM
0565	Plastic Drum, Fluorescent, Furn	8120252	257.000	Ea
0570	Plastic Drum, Fluorescent, Oper	8120253	257.000	Ea
0855	Span Wire Tether	8200142	7.000	Ea
0965	_Controller, NEMA, ATC Type	8207050	1.000	Ea
0970	Monument Box Adj	8210005	1.000	Ea
0975	Contractor Staking	8240001	1.000	LSUM
0980	Staking Plan Errors and Extras, Max \$180/hour	8240002	44.000	Hr
1275	_Geotextile Retaining Wall	8007011	58.000	Syd
1280	_Riprap, Spec, Class I	8137031	4.000	Ton
1285	_Riprap, Spec, Class II	8137031	2,250.000	Ton
1295	Structure Survey During Construction(B04 of 82211)	8240020	1.000	LSUM
1300	Structure Survey During Construction(B05 of 82211)	8240020	1.000	LSUM

N6 = 1.22%



Cost Summaries For Primes

Report v1

Letting ID: 230602 **Call Number:** 015 **Proposal ID:** 41131-201942

Description: 11.60 mi of dynamic signing, detection and related infrastructure for a queue warning system on US-

131 northbound from 44th Street to West River Drive and US-131 southbound from Post Drive to Wealthy Street in the cities of Grand Rapids, Wyoming and Walker, Kent County. ** 1825 ITS **

DBE Goal Percent: 2.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	er Control Section
201942A	23A0547		HSIP 41131
Location: US-131 from 44t	h Street to Post Drive.		
Route:			
Classification Ratings			
Ea = 3.13%	I = 1.78%	ITS = 10.21%	L = 36.68%

N3 = 0.10%

Misc = 40.12%

N96L = 1.66%

MOT = 5.09%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$166,000.00	1100001	1.000	LSUM
0025	_Cabinet Entry, Through Metal	8007050	8.000	Ea
0030	_Dynamic Blank-Out Sign, 48 inch by 48 inch	8007050	15.000	Ea
0035	_ITS Cabinet, Ground Mtd	8007050	4.000	Ea
0040	_ITS Cabinet, Pole Mtd	8007050	5.000	Ea
0045	_Managed Field Ethernet Switch, Layer 2, Modified	8007050	12.000	Ea
0050	_Power Distribution Unit	8007050	12.000	Ea
0055	_Rack-Mtd Step-Down Transformer, 5kV AMP	8007050	1.000	Ea
0060	_Rack-Mtd Step-Up Transformer, 5kV AMP	8007050	1.000	Ea
0065	_Underground Splice Enclosure	8007050	10.000	Ea
0070	_Integration, Advanced Traf Management System Software	8007051	1.000	LSUM
0140	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0145	Plastic Drum, Fluorescent, Oper	8120253	300.000	Ea
0340	Contractor Staking	8240001	1.000	LSUM
0345	Staking Plan Errors and Extras, Max \$180/hour	8240002	12.000	Hr

Page: 18 of 67



Misc = 55.30%



AASHTOWare Project™ Version 4.8.1 Revision 025

Cost Summaries For Primes

Report v1

Letting ID: 230602 Call Number: 016 **Proposal ID:** 82000-205923B1

Description: Demolition and removal of residential buildings, outbuildings, miscellaneous debris, fencing and restoration at 10 parcels at the proposed Bacon Street Rail Spur in the city of Detroit, Wayne County.

** 537 G **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
205923B1	N/A		MX 82000
Location: Bacon Stre	et Rail Spur, Gordie Howe Internationa	al Bridge.	
Route:			
Classification Ratin	gs		

MOT = 4.60%

List of Items by Section

G = 39.05%

Ea = 1.05%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$47,600.00	1100001	1.000	LSUM
0010	_Building and Property Improvements Rem, Outbuilding, Small	2027050	5.000	Ea
0015	_Building and Property Improvements Rem, Residential, Large	2027050	1.000	Ea
0020	_Building and Property Improvements Rem, Residential, Medium	2027050	6.000	Ea
0040	_Misc Debris, Rem, LM	2047021	100.000	Cyd





Cost Summaries For Primes

Report v1

Letting ID: 230602 **Call Number:** 017 **Proposal ID:** 63053-218441

Description: 22.68 mi of catch basin repairs on I-75 from Giddings Road to South Boulevard, M-5 from Pontiac Trail

to 12 Mile Road and US-24 (Dixie Highway) from Big Lake to Telegraph Road in the cities of Novi and

Auburn Hills, Oakland County. ** 711 Ea **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
218441A	N/A		M 63053
Landian L75 LIC 04 (Div	de Llund and M.C.		

Location: I-75, US-24 (Dixie Hwy) and M-5.

Route: I-75 SB, M-5, US-24

Classification Ratings

Ba = 5.71% Ea = 3.43% I = 0.63% J = 1.22%

K = 57.42% MOT = 12.98% Misc = 11.45% N93F = 2.11%

N94A = 5.06%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$64,700.00	1100001	1.000	LSUM
0145	Plastic Drum, Fluorescent, Furn	8120252	510.000	Ea
0150	Plastic Drum, Fluorescent, Oper	8120253	510.000	Ea



Report v1

Call Number: 018 Letting ID: 230602 **Proposal ID:** 11016-131843

Description: 8.45 mi of hot mix asphalt roadway reconstruction, cold milling and resurfacing, reconstruction of 4 bridges, rehabilitation of 9 bridges and pavement markings on I-94 from Puetz Road to Britain Avenue, Berrien County. This project includes three 5 year materials and workmanship pavement warranties, one 2 year concrete surface coating warranty, one 5 year bridge deck overlay performance warranty, and one 2 year bridge coating warranty. This project is an Alternate Pavement Bid project. Alternate 1 (Section 2) is an HMA Alternative and includes a 5 year materials and workmanship pavement warranty. Alternate 2 (Section 3) is a Concrete Alternative and includes a 5 year materials and workmanship pavement warranty. ** 184501 B or 184501 Cb or 184501 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications Ea, Fa and either B or Cb. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 6.00%


Project Information

Project Number	Federal Project Number	Federal Item Numbe	er Control Section
131843A	23A0516		IM 11016
Location: I-94 from Puetz F	Road to Saint Joseph River.		
Route:			
132824A	23A0515		M 11015
Location: I-94 Saint Joseph	n River to Britain Avenue.		
Route:			
Classification Ratings			
B = 19.57%	Ba = 0.59%	Cb = 23.33%	Ea = 41.27%
Fa = 18.46%	Fb = 1.64%	H = 0.05%	I = 0.62%
J = 2.02%	K = 1.86%	Ka = 0.51%	L = 0.21%
MOT = 4.91%	Misc = 12.39%	N2 = 0.11%	N3 = 2.14%
N4 = 0.55%	N6 = 1.54%	N7 = 0.30%	N91A = 1.08%
N91B = 0.27%	N91C = 0.07%	N91F = 0.12%	N93A = 0.23%
N93D = 0.02%	N93G = 0.05%	N94B = 0.02%	N95D = 0.03%
N96L = 1.73%	N96M = 0.10%		



Report v1

Line Num	Item Description	Item ID	Quantity	Units
0010	Dispute Review Board, Hearing	1040010	7,500.000	Dlr
0015	Dispute Review Board, Progress Meeting	1040050	56,000.000	Dlr
0020	_Interim Completion Incentive, 2024 Construction	1047060	500,000.000	Dlr
0025	_Interim Completion Incentive, 2025 Construction	1047060	500,000.000	Dlr
0030	_Interim Completion Incentive, 2026 Construction	1047060	500,000.000	Dlr
0035	Critical Path Method Schedule	1080005	15,000.000	Dlr
0040	Mobilization, Max\$16,458,000.00	1100001	1.000	LSUM
0120	_Monitoring Well, Adjust	2037050	26.000	Ea
0165	_Rem Misc Site Items	2047051	1.000	LSUM
0245	Project Cleanup	2090001	1.000	LSUM
2110	Plastic Drum, Fluorescent, Furn	8120252	1,200.000	Ea
2115	Plastic Drum, Fluorescent, Oper	8120253	1,200.000	Ea
2450	_Bioretention Seeding	8167011	7,260.000	Syd
2660	Span Wire Tether	8200142	5.000	Ea
2810	_Controller, NEMA, ATC Type	8207050	1.000	Ea
2815	Monument Box	8210001	1.000	Ea
2820	Monument Preservation	8210010	1.000	Ea
2865	Contractor Staking	8240001	1.000	LSUM
2870	Staking Plan Errors and Extras, Max \$180/hour	8240002	1,782.000	Hr
3040	Freeway Shld Corrugations, Milled, HMA	8222001	161,850.000	Ft
3180	Freeway Shld Corrugations, Milled, Conc	8222000	161,850.000	Ft
3185	_Railroad Inspection and Flagging, CSX Transportation	1027060	350,000.000	Dlr
3190	_Railroad Protection, CSX Transportation	1027060	60,000.000	Dlr
3735	Reflective Marker, Permanent Barrier	7110003	259.000	Ea
4020	_Riprap, Spec, Class I	8137011	320.000	Syd
4025	_Riprap, Spec, Class II	8137011	1,050.000	Syd
4030	Structure Survey During Construction(R07 of 11015)	8240020	1.000	LSUM
4035	Structure Survey During Construction(S03-3 of 11016)	8240020	1.000	LSUM
4040	Structure Survey During Construction(S03-4 of 11016)	8240020	1.000	LSUM
4045	Structure Survey During Construction(S17-3 of 11015)	8240020	1.000	LSUM
4050	Structure Survey During Construction(S17-4 of 11015)	8240020	1.000	LSUM
4055	_Calendar Days of Contract Time for Interim Completion, 2024 Construction	1027060	50,000.000	Dlr
4060	_Calendar Days of Contract Time for Interim Completion, 2025 Construction	1027060	50,000.000	Dlr





Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
4065	_Calendar Days of Contract Time for Interim Completion, 2026 Construction	1027060	50,000.000	Dlr



Report v1

Letting ID: 230602 Call Number: 019 **Proposal ID:** 11000-217956

Description: 1.16 mi of hot mix asphalt shared-use path including concrete curb, gutter and ramps, guardrail, pedestrian traffic signals, storm sewer, signing and pavement markings on Red Arrow Highway from Harbert Community Park to Sawyer Road, Berrien County. This is a Local Agency project. ** 674 Cb or 674 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 6.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
Project Number	rederal Project Number	rederal item Number	Control Section
217956A	23A0484		CM 11000
Location: Red Arrow	Highway from Harbert Communit	y Park to Sawyer Road.	
Route:			
Classification Ratin	igs		
Cb = 25.17%	Ea = 20.32%	I = 7.90%	J = 4.99%

K = 6.41%L = 3.78%MOT = 6.03%Misc = 12.48%

N3 = 1.60%N6 = 0.37%N94B = 0.07%N96L = 3.49%

N96M = 7.39%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$62,000.00	1100001	1.000	LSUM
0020	_Pavt, Rem, Modified	2047011	1,300.000	Syd
0260	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	230.000	Ea
0265	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	230.000	Ea
0305	Plastic Drum, Fluorescent, Furn	8120252	240.000	Ea
0310	Plastic Drum, Fluorescent, Oper	8120253	240.000	Ea



Report v1

Letting ID: 230602 Call Number: 020 **Proposal ID:** 31000-206734

Description: 3.60 mi of hot mix asphalt base crushing, shaping and resurfacing, aggregate shoulders and pavement markings on Lakeshore Drive north of M-203 and Calumet Water Works Road south of Lake Shore Drive, Houghton County. This is a Local Agency project. ** 1569 Cb or 1569 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 2.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
206734A	23A0489		EAR 31000
Location: Lakeshore Drive	north of M-203.		

Route:

218438A 23A0422 STL 31000

Location: Calumet Water Works Road south of Lake Shore Drive.

Route:

Classification Ratings

Cb = 46.91%	Ea = 34.58%	I = 0.92%	K = 0.35%
MOT = 0.91%	Misc = 9.12%	N3 = 0.61%	N6 = 0.59%

N92D = 5.81%N96L = 0.21%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$141,800.00	1100001	1.000	LSUM
0215	Plastic Drum, Fluorescent, Furn	8120252	110.000	Ea
0220	Plastic Drum, Fluorescent, Oper	8120253	110.000	Ea



Report v1

Letting ID: 230602 **Call Number:** 021 **Proposal ID:** 09000-218339

Description: 0.63 mi of hot mix asphalt rehabilitation, concrete curb, gutter, sidewalk and ramps and pavement

markings on Kosciuszko Avenue from Jackson Street to Johnson Street in the city of Bay City, Bay County. This is a Local Agency project. ** 1118 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those

subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section	
218339A	23A0495		STUL 09000	
Location: Kosciuszko Avenue from Jackson Street to Johnson Street.				
Route:				
Classification Ratings				
Cb = 50.15%	Ea = 11.96%	J = 10.55%	K = 6.04%	

N3 = 0.90%

Misc = 9.95%

List of Items by Section

MOT = 10.45%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$101,700.00	1100001	1.000	LSUM
0020	_Pavt, Rem, Modified	2047011	45.000	Syd
0215	Plastic Drum, Fluorescent, Furn	8120252	220.000	Ea
0220	Plastic Drum, Fluorescent, Oper	8120253	220.000	Ea
0240	_Turf Establishment, Performance	8167011	656.000	Syd





Cost Summaries For Primes

Report v1

Letting ID: 230602 Call Number: 022 **Proposal ID:** 11000-206615

Description: 0.05 mi of signal modernization on Pipestone Road from Wall Street to Empire Avenue at 5

intersections in the city of Benton Harbor, Berrien County. This is a Local Agency project. ** 189 L **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
206615A	23A0512		CRSM 11000
Location: On various	routes at 5 intersections.		
Route:			
Classification Ratin	gs		
F = 4.040/	1 0 400/	1 4 000/	E4 000/

Ea = 1.61%

I = 0.40%J = 1.32%L = 51.36%

MOT = 10.92%Misc = 31.47%N3 = 2.50%N6 = 0.43%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$17,500.00	1100001	1.000	LSUM
0075	Plastic Drum, Fluorescent, Furn	8120252	25.000	Ea
0800	Plastic Drum, Fluorescent, Oper	8120253	25.000	Ea
0240	_Controller, NEMA, ATC Type	8207050	1.000	Ea
0245	_Multi-Sensor Vehicle Detection Sensor, Camera Sensor	8207050	4.000	Ea
0250	_Multi-Sensor Vehicle Detection System, Modified	8207050	1.000	Ea
0255	_Universal Camera Bracket and Extension	8207050	4.000	Ea





Report v1

Letting ID: 230602 **Call Number:** 023 **Proposal ID:** 82000-215552

Description: 0.82 mi of hot mix asphalt cold milling and resurfacing, concrete pavement repair, curb ramps, signing

and pavement markings on Van Born Road from Beech-Daly Road easterly to Telegraph Road (US-24) in the cities of Dearborn Heights and Taylor, Wayne County. This is a Local Agency project. **

1985 Cb **

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	er Control Section			
215552A	23A0497		STU 82000			
Location: Van Born Road from Beech-Daly Road easterly to Telegraph Road (US-24).						
Route:						
Classification Ratings						
B = 1.09%	Ba = 9.07%	Cb = 49.70%	Ea = 1.06%			

I = 0.15% J = 4.29% K = 2.22% MOT = 7.09%

Misc = 16.61% N3 = 0.78% N6 = 0.26% N93A = 7.68%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$166,600.00	1100001	1.000	LSUM
0020	_Pavt Repr, Remove, Patching	2047011	2,600.000	Syd
0025	_Misc Obstruction, Rem	2047021	1.000	Cyd
0045	Project Cleanup	2090001	1.000	LSUM
0050	Dr Structure, Temp Lowering	4030390	20.000	Ea
0170	_Field Office	8097043	4.000	Мо
0250	Plastic Drum, Fluorescent, Furn	8120252	350.000	Ea
0255	Plastic Drum, Fluorescent, Oper	8120253	350.000	Ea
0320	_Sodding, Modified	8167011	1,499.000	Syd
0325	Monument Box Adj	8210005	1.000	Ea
0330	Monument Preservation	8210010	1.000	Ea
0335	Staking Plan Errors and Extras, Max \$180/hour	8240002	15.000	Hr
0340	_Contractor Staking, Modified	8247051	1.000	LSUM



Report v1

Letting ID: 230602 **Call Number:** 024 **Proposal ID:** 70000-211753

Description: 2.34 mi of hot mix asphalt shared-use path and bridge reconstruction and rehabilitation including

timber boardwalk, railing, expansion joint and pavement markings on Green Street from 144th Avenue to 128th Avenue and 128th Avenue from Green Street to North Cedar Drive, Ottawa County. This is a

Local Agency project. ** 4366 Fa **

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
211753A	23A0345		TAUL 70000

Location: Green Street from 144th Avenue to 128th Avenue and 128th Avenue from Green Street to North Cedar Drive.


Route:

212256A	23A0498	BFP 70000
Location: Green Street ov	rer Stearns Bayou.	
Route:		

Classification Ratings

Cb = 8.37%	Ea = 15.21%	Fa = 31.91%	Fb = 6.11%
G = 2.40%	H = 0.02%	I = 1.03%	J = 0.23%
K = 0.01%	L = 0.14%	MOT = 4.28%	Misc = 9.38%
N2 = 0.77%	N3 = 0.17%	N4 = 1.76%	N6 = 0.28%
N7 = 0.01%	N91A = 3.65%	N91B = 7.09%	N91C = 0.03%
N95C = 5.98%	N96L = 0.64%	N96M = 0.53%	

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$394,000.00	1100001	1.000	LSUM
0275	Plastic Drum, Fluorescent, Furn	8120252	240.000	Ea
0280	Plastic Drum, Fluorescent, Oper	8120253	240.000	Ea
0340	_Flsh Beacon, Rectangular Rapid, Solar Power	8207050	2.000	Ea





Report v1

Letting ID: 230602 Call Number: 025 **Proposal ID:** 77000-218139

Description: 0.61 mi of hot mix asphalt cold milling and resurfacing, base repairs, sidewalk ramps and pavement markings on Ravenswood Road from west of Carolina Avenue to Michigan Avenue in the city of

Marysville, St. Clair County. This is a Local Agency project. ** 358 Cb **


DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Numb	er Federal Item Nu	mber Control Section	
218139A	23A0519		STUL 77000	
Location: Ravenswood Road from west of Carolina Avenue to Michigan Avenue.				
Route:				
Classification Ratin	ngs			
Cb = 58.80%	Ea = 6.13%	J = 2.84%	K = 1.05%	

MOT = 8.44%	Misc = 12.39%	N3 = 0.68%	N93A = 9.66%
-------------	---------------	------------	--------------

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$32,600.00	1100001	1.000	LSUM
0045	Dr Structure, Temp Lowering	4030390	4.000	Ea
0050	Pavt, Cleaning	5010001	1.000	LSUM
0120	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	75.000	Ea
0125	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	75.000	Ea
0150	Plastic Drum, Fluorescent, Furn	8120252	25.000	Ea
0155	Plastic Drum, Fluorescent, Oper	8120253	25.000	Ea
0175	_Lawn Restoration, Hydroseed	8167011	200.000	Syd





Report v1

Letting ID: 230602 **Call Number:** 026 **Proposal ID:** 25000-216232

Description: 0.46 mi of hot mix asphalt cold milling and resurfacing and pavement markings on Elms Road from

Flushing Road to Pierson Road, Genesee County. This is a Local Agency project. ** 281 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract

to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
216232A	23A0514		HICU 25000
Location: Elms Road	from Flushing Road to Pierson Road.		
Route:			
Classification Rating	gs		

Cb = 74.56% Ea = 1.12% MOT = 12.84% Misc = 9.67%

N3 = 1.82%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$23,000.00	1100001	1.000	LSUM
0075	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	200.000	Ea
0800	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	200.000	Ea





Report v1

Letting ID: 230602 Call Number: 027 **Proposal ID:** 82000-215679

Description: 1.00 mi of hot mix asphalt cold milling and resurfacing, curb ramps and pavement markings on Wick

Road from Beech Daly Road easterly to west of Telegraph Road (US-24) in the city of Taylor, Wayne County. This is a Local Agency project. ** 1073 Cb **

DBE Goal Percent: 4.00%


Project Information

Project Number	Federal Project Number	Federal Item Numbe	er Control Section
215679A	23A0471		STU 82000
Location: Wick Road from	Beech Daly Road to Telegraph	Road.	
Route:			
Classification Ratings			
Ba = 1.10%	Cb = 65.07%	Ea = 2.97%	I = 0.32%

Misc = 12.71%J = 2.31%K = 0.86%MOT = 6.13%

N93G = 0.78%N3 = 1.76%N93A = 5.99%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$97,300.00	1100001	1.000	LSUM
0040	Project Cleanup	2090001	1.000	LSUM
0085	Pavt, Cleaning	5010001	1.000	LSUM
0185	Post, Mailbox	8070095	30.000	Ea
0235	Plastic Drum, Fluorescent, Furn	8120252	175.000	Ea
0240	Plastic Drum, Fluorescent, Oper	8120253	175.000	Ea
0285	Monument Preservation	8210010	1.000	Ea
0290	Contractor Staking	8240001	1.000	LSUM
0295	Staking Plan Errors and Extras, Max \$180/hour	8240002	11.000	Hr





Report v1

Letting ID: 230602 **Call Number:** 028 **Proposal ID:** 81000-211633

Description: Construction of communication tower, backhaul radios to establish links and provide redundancy and

weather stations on various routes countywide, Washtenaw County. This is a Local Agency project. **

1831 ITS **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
211633A	23A0482		CMG 81000
Location: Countywide.			

Route:

211642A 23A0488 CMG 81121

Location: M-153 E at 7 intersections.

Route:

Classification Ratings

ITS = 6.13% L = 64.56% MOT = 1.28% Misc = 27.45%

N6 = 0.57%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$166,500.00	1100001	1.000	LSUM
0030	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0035	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0135	_Broadband Single Radio, Rem	8207050	11.000	Ea
0140	_Cell Modem, Rem	8207050	1.000	Ea
0145	_Controller and Cabinet, Base Mount (TS2)	8207050	1.000	Ea
0150	_Luminaire Arm, Rem	8207050	1.000	Ea
0155	_Managed Ethernet Switch	8207050	6.000	Ea
0160	_RWIS, Install Only	8207050	2.000	Ea
0165	_Solar System, Salv	8207050	1.000	Ea
0170	_TS, Controller (EOS)	8207050	5.000	Ea
0175	_TS, Controller, Rem	8207050	5.000	Ea
0180	_TS, MMU	8207050	2.000	Ea
0185	_Video Surveillance Camera, PTZ with Multiview	8207050	7.000	Ea






Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
0190	_Video Surveillance Camera, Rem	8207050	2.000	Ea
0195	_Wireless Interconnect	8207050	12.000	Ea
0200	_Wireless Repeater, Flex	8207050	16.000	Ea
0205	_Wireless Vehicle Detection System, Upgrade	8207050	3.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 230602 Call Number: 029 **Proposal ID:** 55000-218918

Description: 0.01 mi of culvert replacement on 22 Mile Road (County Road 354) at Big Brook, Menominee County. This is Local Agency project. ** 338 Ea **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
218918A	23A0505		STL 55000
Location: 22 Mile Roa	ad (County Road 354) at Big Bro	ook.	
Route:			
Classification Ratin	gs		
Cb = 2.63%	Ea = 69.40%	Fa = 3.34%	= 0.20%
MOT = 6.09%	Misc = 10.39%	N3 = 0.12% N	196L = 7.83%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$30,800.00	1100001	1.000	LSUM
0125	Plastic Drum, Fluorescent, Furn	8120252	20.000	Ea
0130	Plastic Drum, Fluorescent, Oper	8120253	20.000	Ea
0165	Contractor Staking	8240001	1.000	LSUM
0170	Staking Plan Errors and Extras, Max \$180/hour	8240002	4.000	Hr



Report v1

Letting ID: 230602 Call Number: 030 **Proposal ID:** 82000-212676-2

Description: 1.10 mi of hot mix asphalt cold milling and resurfacing, concrete base course, storm sewer, curb ramps, signing and pavement markings on Oakwood Boulevard from west of Beech Street southeasterly to west of Rotunda Drive in the city of Dearborn, Wayne County. This is a Local Agency project. ** 10928 K or Comb/Jt. 10928 Ba, Cb or Comb/Jt. 10928 Ba, Ea or Comb/Jt. 10928 Cb, Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ba, Cb, Ea and K. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

rroject illiorillation			
Project Number	Federal Project Number	Federal Item Number	Control Section
212676A	N/A		EDA 82000
Location: Oakwood E	Soulevard from west of Beech Street s	outheasterly to west of Rotunda D	rive.
Route:			
Classification Ratin	gs		

Ciassification Natings			
B = 10.31%	Ba = 0.54%	Cb = 16.04%	Ea = 8.61%
I = 0.10%	ITS = 0.05%	J = 1.42%	K = 34.32%
L = 9.20%	MOT = 2.79%	Misc = 13.04%	N2 = 0.15%
N3 = 1.33%	N4 = 0.17%	N6 = 0.11%	N93A = 1.60%
N94A = 0.07%	N94B = 0.15%		

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$993,500.00	1100001	1.000	LSUM
0045	_Pavt Repr, Remove, Patching	2047011	1,578.000	Syd
0050	_Misc Obstruction, Rem	2047021	27.000	Cyd
0800	Project Cleanup	2090001	1.000	LSUM
0185	Dr Structure, Temp Lowering	4030390	10.000	Ea
0225	Pavt, Cleaning	5010001	1.000	LSUM
0485	Plastic Drum, Fluorescent, Furn	8120252	225.000	Ea
0490	Plastic Drum, Fluorescent, Oper	8120253	225.000	Ea
0555	_Sodding, Modified	8167011	4,549.000	Syd

Page: 36 of 67






Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
0885	_Controller, NEMA, ATC Type	8207050	4.000	Ea
0890	_Pedestal Painting	8207050	8.000	Ea
0895	_St Name Sign, Two Way, LED, 6 foot	8207050	6.000	Ea
0900	_St Name Sign, Two Way, LED, 8 foot	8207050	2.000	Ea
0905	Staking Plan Errors and Extras, Max \$180/hour	8240002	108.000	Hr
0910	_Contractor Staking, Modified	8247051	1.000	LSUM





Report v1

Letting ID: 230602 **Call Number:** 031 **Proposal ID:** 58000-213257

Description: 7.36 mi of hot mix asphalt widening and resurfacing, aggregate shoulders and pavement markings on

Sterns Road from Memorial Highway to US-23, Samaria Road from Secor Road to Lewis Avenue, Secor Road from St. Anthony Road to Samaria Road and Secor Road from Samaria Road to Morocco

Road, Monroe County. This is a Local Agency project. ** 2149 Cb **

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
213257A	23A0480		STL 58000

Location: Sterns Road from Memorial Highway to US-23.

Route:

213259A 23A0533 STU 58000

Location: Samaria Road from Secor Road to Lewis Avenue and Secor Road from St. Anthony Road to

Samaria Road.

Route:

216674A 23A0481 STL 58000

Location: Secor Road from Samaria Road to Morocco Road.

Route:

Classification Ratings

Cb = 74.95% Ea = 9.45% MOT = 3.75% Misc = 9.88%

N3 = 1.16% N96L = 0.82%

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Protection, at Grade Crossing, Ann Arbor Railroad	1027060	3,000.000	Dlr
0010	Mobilization, Max\$195,400.00	1100001	1.000	LSUM
0140	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	660.000	Ea
0145	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	660.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 230602 **Call Number:** 032 **Proposal ID:** 35000-218471

Description: 1.20 mi of hot mix asphalt resurfacing and pavement markings on Wickert Road from South Branch

Road east to Hale Road, losco County. This is a Local Agency project. ** 189 Cb **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section	
218471A	23A0487		STL 35000	
Leasting, Wickert Dood from Couth Dranch Dood cost to Hole Dood				


Location: Wickert Road from South Branch Road east to Hale Road.

Route:

Classification Ratings

Cb = 81.77% MOT = 6.14% Misc = 10.26% N3 = 1.83%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$17,200.00	1100001	1.000	LSUM
0030	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	110.000	Ea
0035	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	110.000	Ea
0075	Monument Box	8210001	1.000	Ea





Report v1

Letting ID: 230602 Call Number: 033 Proposal ID: 77000-205155

Description: 4.35 mi of hot mix asphalt cold milling and resurfacing and pavement markings on Chartier Road from west of King Road easterly to east of Elizabeth Street, King Road from Chartier Road to Marine City Highway, Stone Road from the Algonac city limits to Marsh Road and Marsh Road from Stone Road to Benoit Road, St. Clair County. ** 752 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
205155A	23A0503		STUL 77000

Location: Chartier Road from west of King Road easterly to east of Elizabeth Street.

Route:

205156A 23A0504 STUL 77000

Location: King Road from Chartier Road to Marine City Highway.

Route:

218131A 23A0531 STUL 77000

Location: Stone Road from the Algonac City limits to Marsh Road and Marsh Rd from Stone Road to Benoit

Route:

Classification Ratings

Cb = 64.36%Ea = 1.96%MOT = 8.18%Misc = 10.91%

N3 = 2.14%N93A = 12.45%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$68,000.00	1100001	1.000	LSUM
0010	Project Cleanup	2090001	1.000	LSUM
0085	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	602.000	Ea
0090	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	602.000	Ea



Report v1

Letting ID: 230602 Call Number: 034 **Proposal ID:** 41000-205664

Description: 1.46 mi of hot mix asphalt cold milling and resurfacing, concrete curb, gutter, sidewalk and ramps, signing and pavement markings on Turner Avenue from 6th Street to Richmond Street and Turner Avenue NW from 4th Street NW to Ann Street NW in the city of Grand Rapids, Kent County. This is a Local Agency project. ** 1630 J or Comb/Jt. 1630 Cb, Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and J. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the

confirmed low bidder.

DBE Goal Percent: 6.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
205664A	23A0463		STU 41000
Location: Turner Avenue f	rom 6th Street to Richmond Street		

Route:

214335A 23A0499 CRU 41000

Location: Turner Avenue from 4th Street NW to Ann Street NW.


Route:

Classification Ratings

Cb = 12.49%	Ea = 6.76%	H = 7.20%	I = 2.49%
J = 27.83%	K = 6.65%	L = 8.10%	MOT = 5.24%
Misc = 15.31%	N2 = 0.05%	N3 = 4.07%	N6 = 2.60%

N93A = 1.21%


Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Protection, at Grade Crossing, Grand Rapids Eastern Railroad	1027060	1.000	Dlr
0010	Mobilization, Max\$75,000.00	1100001	1.000	LSUM
0035	_Pavt, Rem, Modified	2047011	6,680.000	Syd
0060	Project Cleanup	2090001	1.000	LSUM
0105	Pavt, Cleaning	5010001	1.000	LSUM
0295	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	225.000	Ea
0300	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	225.000	Ea





Report v1

Line Num	Item Description	Item ID	Quantity	Units
0330	Plastic Drum, Fluorescent, Furn	8120252	150.000	Ea
0335	Plastic Drum, Fluorescent, Oper	8120253	150.000	Ea
0440	_Mulch Blanket, Modified	8167011	910.000	Syd
0445	_Turf Establishment	8167011	910.000	Syd
0550	Span Wire Tether	8200142	4.000	Ea
0625	_Cabinet, NEMA Type, Modified	8207050	1.000	Ea
0630	_Cabinet, Rem, Modified	8207050	1.000	Ea
0635	_Controller, NEMA, ATC Type, Modified	8207050	1.000	Ea
0640	_Sign, Remove and Salvage	8207050	10.000	Ea
0645	_Steel Pole Mounting Hub	8207050	6.000	Ea
0660	_Preconstruction Documentation	8507051	1.000	LSUM
0665	_Contaminated Material, Storage, Handling and Disposal	8507060	1.000	Dlr
0670	_Underground Sprinkling Systems, Restore	8507060	5,000.000	Dlr





Report v1

Letting ID: 230602 **Call Number:** 035 **Proposal ID:** 67000-216843

Description: 0.01 mi of culvert replacement on Fred Meijer White Pine Trail-Tustin, Osceola County. This is a Local

Agency project. ** 954 Fa **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Ea and Fb. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors

must be designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
216843A	23A0506		NRT 67000
Location: Fred Meije	r White Pine Trail-Tustin.		
Route:			
Classification Ratin	ngs		
Cb = 0.14%	Ea = 18.56%	Fa = 59.07%	Fb = 10.10%
I = 0.18%	MOT = 0.32%	Misc = 10.44%	N2 = 0.06%
N6 = 0.10%	N7 = 0.79%	N96M = 0.23%	

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$45,000.00	1100001	1.000	LSUM
0065	_Fiber Optic Relocation	8007051	1.000	LSUM
0800	_Shared use Path, HMA Snowmobile Wearing Cse, Special	8067031	14.000	Ton
0130	Contractor Staking	8240001	1.000	LSUM



N93A = 3.20%



AASHTOWare Project™ Version 4.8.1 Revision 025

Cost Summaries For Primes

Report v1

Letting ID: 230602 Call Number: 036 **Proposal ID:** 36000-217836

Description: 1.84 mi of hot mix asphalt crushing, shaping and resurfacing and pavement markings on County Road 424 from Axle Drive to the east city limits of Gaastra, Iron County. This is a Local Agency project. **

655 Cb **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
217836A	23A0473		STL 36000
Location: County Road 424	4 from Axle Drive to the east city	limits of Gaastra.	
Route:			
Classification Ratings			
Cb = 67.94%	Ea = 9.54%	I = 0.01%	MOT = 2.88%

N92D = 5.69%

List of Items by Section

N3 = 4.38%

Misc = 6.34%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$40,000.00	1100001	1.000	LSUM
0125	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0130	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea

N6 = 0.83%



Cost Summaries For Primes

Report v1

Letting ID: 230602 Call Number: 037 **Proposal ID:** 63000-210766

Description: 0.36 mi of hot mix asphalt reconstruction, concrete pavement, curb, gutter and sidewalk ramps, signing and pavement markings on Orion Road at Stoney Creek Road and Conkin Road, Oakland County. This is a Local Agency project. ** 1909 Cb or 1909 Ea **In addition to the above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb and Ea. If the prime contractor is not prequalified in those subclassifications it must use prequalified subcontractors. Those subcontractors must be designated prior to award of the contract to the

confirmed low bidder.

N2 = 2.06%

DBE Goal Percent: 6.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	cr Control Section
210766A	23A0507		STU 63000
Location: Orion Road at St	oney Creek Road and Conkin	Road.	
Route:			
Classification Ratings			
B = 7.65%	Ba = 0.14%	Cb = 24.32%	Ea = 30.94%
			MOT = 3.31%

N3 = 0.52%

N94B = 0.12%

Misc = 13.73%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$173,000.00	1100001	1.000	LSUM
0055	_Gas Utility, Rem	2047001	100.000	Ft
0060	_Exploratory Investigation, Utility, RCOC	2047021	100.000	Cyd
0385	Post, Mailbox	8070095	4.000	Ea
0510	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0515	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea
0525	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea
0530	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea
0575	_Ditch, Plain Cobble, RCOC	8147011	46.000	Syd
0580	_Turf Establishment, THM Seed, Special Mulch, Performance, RCOC	8167011	7,499.000	Syd
0595	_Sprinkler Line	8507001	500.000	Ft





Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
0600	_Sprinkler Head, Relocate	8507050	20.000	Ea
0605	_Sprinkler Head, Replace	8507050	20.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 230602 **Call Number:** 038 **Proposal ID:** 50000-207002

Description: 1.56 mi of hot mix asphalt overlay, cold milling for butt joints, aggregate shoulders, sinusoidal milled corrugations and pavement markings on Capac Road from Irwin Road north to Pratt Road, Macomb

County. This is a Local Agency project. ** 871 Cb **

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
207002A	23A0469		STL 50000
Location: Capac Road fro	m Irwin Road north to Pratt Road.		
Route:			

Classification Ratings

Cb = 68.48% Ea = 8.27% MOT = 4.53% Misc = 12.58%

N3 = 2.52% N93G = 3.62%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$79,200.00	1100001	1.000	LSUM
0010	Project Cleanup	2090001	1.000	LSUM
0020	Pavt, Cleaning	5010001	1.000	LSUM
0065	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	230.000	Ea
0070	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	230.000	Ea
0125	Monument Box Adj	8210005	3.000	Ea
0130	_Sinusoidal Corrugations, Milled, HMA Centerline	8227001	8,120.000	Ft





Cost Summaries For Primes

Report v1

Letting ID: 230602 **Call Number:** 039 **Proposal ID:** 39082-218657

Description: 4.38 mi of shared-use path rehabilitation including overband crack fill, asphalt repair mastic and micro-

surfacing along the west side of M-343 from Sprinkle Road to E DE Avenue, Kalamazoo County. **

150 N9-3I **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
218657A	N/A		M 39082
Location: M-343 from Sp	rinkle Road to E DE Avenue.		
D			


Route: M-343

Classification Ratings

Ea = 9.20% MOT = 5.49% Misc = 9.09% N93E = 8.72%

N93F = 8.41% N93I = 59.08%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$13,700.00	1100001	1.000	LSUM





Report v1

Letting ID: 230602 **Call Number:** 040 **Proposal ID:** 23012-218212

Description: 0.01 mi of retaining wall reconstruction, concrete sidewalk, drainage and landscaping on I-69BL

(Lansing Road) at Island Highway in the city of Charlotte, Eaton County. ** 157 J **In addition to the above minimum prequalification requirement for prime contractors this project includes a

subclassification of Fa. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the

confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
218212A	N/A		M 23012
Location: I-69 BL (Lansing	Street) south of Island Highwa	y.	
Route:			
Classification Ratings			
Ea = 6.59%	Fa = 12.69%	I = 0.22%	J = 0.96%
L = 1.40%	MOT = 19.02%	Misc = 58.33%	N3 = 0.79%

Line Num	Item Description	Item ID	Quantity	Units
0005	_Reimbursed Permit Fees	1077060	1,000.000	Dlr
0010	Mobilization, Max\$14,300.00	1100001	1.000	LSUM
0050	Project Cleanup	2090001	1.000	LSUM
0060	Pavt, Cleaning	5010001	1.000	LSUM
0065	_Small Modular Block Wall	8007010	661.000	Sft
0085	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	89.000	Ea
0090	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	89.000	Ea
0135	_Turf Establishment, Performance	8167011	46.000	Syd
0150	Contractor Staking	8240001	1.000	LSUM
0155	Staking Plan Errors and Extras, Max \$180/hour	8240002	2.000	Hr





Cost Summaries For Primes

Report v1

Letting ID: 230602 Call Number: 041 **Proposal ID:** 23042-218542

Description: 0.45 mi of hot mix asphalt cold milling and resurfacing and pavement markings on M-43 west of Nixon Road, Eaton County. ** 643 Cb **


DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Num	ber Federal Item N	lumber Control Section
218542A	N/A		M 23042
Location: M-43 from	Nixon Road to Saginaw High	way.	
Route:			
Classification Ratin	ıgs		
Cb = 53.25%	Ea = 7.25%	MOT = 6.69%	Misc = 10.17%

N3 = 6.37%N93A = 6.44%N93G = 9.82%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$58,500.00	1100001	1.000	LSUM
0020	Project Cleanup	2090001	1.000	LSUM
0120	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	300.000	Ea
0125	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	300.000	Ea
0195	Monument Preservation	8210010	1.000	Ea





Report v1

Letting ID: 230602 Call Number: 042 **Proposal ID:** 39103-218656

Description: 4.48 mi of hot mix asphalt cold milling and resurfacing, centerline and shoulder corrugations and

pavement markings on M-89 from the Barry/Kalamazoo County line to M-43, Kalamazoo County. ** 1311 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior

to award of the contract to the confirmed low bidder.

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
218656A	N/A		M 39103
1	0 1 1 1 1 10		

Location: M-89 from the Barry County line to M-43.

Route: M-89

Classification Ratings

Cb = 65.55%Ea = 2.22%MOT = 7.27%Misc = 10.79%

N3 = 1.49%N93A = 12.67%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$119,200.00	1100001	1.000	LSUM
0075	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	280.000	Ea
0800	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	280.000	Ea
0120	_Sinusoidal Corrugations, Milled, Conc Centerline	8227001	23,659.000	Ft
0125	_Sinusoidal Corrugations, Milled, HMA Edgeline	8227001	47,318.000	Ft



Report v1

Letting ID: 230602 **Call Number:** 043 **Proposal ID:** 11012-210874

Description: 6.52 mi of hot mix asphalt cold milling and resurfacing, adjust drainage structures, curb ramps and

pavement markings on I-94BL from north of Glenlord Road northerly to Central Avenue and on M-63 from I-94 northwesterly to Midway Avenue in the city of Saint Joseph, village of Shoreham, Berrien County. This project includes a 3 year materials and workmanship pavement warranty. ** 3422 Cb **

DBE Goal Percent: 0.00%

Project Information

-			
Project Number	Federal Project Number	Federal Item Number	Control Section
210874A	N/A		M 11012
Location: M-63 from I	-94 to Midway Avenue.		
Route: M-63			
210874A	N/A		M 11012
Location: I-94 BL from	n north of Glenlord Road to Central A	venue.	
Route: I-94 BL			
210874A	N/A		M 11012
Location: I-94 BL from	n north of Glenlord Road to Central A	venue.	
Route: M-63			
210874A	N/A		M 11012
Location: M-63 from I	-94 to Midway Avenue.		
Douter LO4 DI			

Route: I-94 BL


Classification Ratings

B = 0.06%	Cb = 62.76%	Ea = 2.88%	I = 0.02%
ITS = 0.20%	J = 0.73%	K = 0.86%	L = 1.20%
MOT = 7.32%	Misc = 12.43%	N3 = 1.73%	N93A = 9.26%
N93D = 0.26%	N93G = 0.22%	N96M = 0.09%	

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$311,100.00	1100001	1.000	LSUM
0800	Dr Structure, Temp Lowering	4030390	77.000	Ea
0330	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	500.000	Ea
0335	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	500.000	Ea

Page: 52 of 67





Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
0365	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0370	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0430	Monument Box	8210001	2.000	Ea
0435	Monument Box Adj	8210005	2.000	Ea
0440	Monument Preservation	8210010	2.000	Ea
0445	Protect Corners	8210020	7.000	Ea
0460	Contractor Staking	8240001	1.000	LSUM
0465	Staking Plan Errors and Extras, Max \$180/hour	8240002	34.000	Hr



Report v1

Letting ID: 230602 **Call Number:** 044 **Proposal ID:** 81074-216795

Description: 7.09 mi of hot mix asphalt cold milling and resurfacing and pavement markings on US-23 from

Ellsworth Road north to M-14 in the city of Ann Arbor, Washtenaw County. This project includes a 3 year materials and workmanship pavement warranty. ** 3933 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If

the prime contractor is not prequalified in this subclassification it must use a prequalified

subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed

low bidder.

DBE Goal Percent: 5.00%

Project Information

-			
Project Number	Federal Project Number	Federal Item Number	Control Section
216795A	23A0559		NH 81074
Location: US-23 from	n Ellsworth Road north to M-14.		
Route: US-23			
Classification Ratin	igs		
Cb = 60.18%	Ea = 3.14%	MOT = 4.69%	Misc = 9.88%

N3 = 4.64% N93A = 15.50% N93G = 1.97%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$357,600.00	1100001	1.000	LSUM
0010	Project Cleanup	2090001	1.000	LSUM
0020	Pavt, Cleaning	5010001	1.000	LSUM
0125	Plastic Drum, Fluorescent, Furn	8120252	200.000	Ea
0130	Plastic Drum, Fluorescent, Oper	8120253	200.000	Ea
0180	Freeway Shld Corrugations, Milled, HMA	8222001	32,000.000	Ft





Cost Summaries For Primes

Report v1

Letting ID: 230602 Call Number: 045 **Proposal ID:** 46000-206172

Description: 6.99 mi of hot mix asphalt cold milling and resurfacing, aggregate shoulders and pavement markings on Onsted Highway from US-223 to M-50, Lenawee County. This is a Local Agency project. ** 1190

Cb **

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	er Control Section
206172A	23A0539		STL 46000
Location: Onsted Highway	from US-223 to M-50.		
Route:			
Classification Ratings			
Cb = 76.16%	Ea = 1.95%	K = 2.63%	MOT = 2.64%

N93A = 4.35%

List of Items by Section

N3 = 1.23%

Misc = 11.04%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$100,000.00	1100001	1.000	LSUM
0025	Dr Structure, Temp Lowering	4030390	36.000	Ea
0030	Pavt, Cleaning	5010001	1.000	LSUM
0100	Plastic Drum, Fluorescent, Furn	8120252	40.000	Ea
0105	Plastic Drum, Fluorescent, Oper	8120253	40.000	Ea
0125	Monument Box Adj	8210005	14.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 230602 Call Number: 046 **Proposal ID:** 65000-218645

Description: 1.25 mi of hot mix asphalt overlay, aggregate shoulders and pavement markings on Rose City Road east of Schmitt Road, Ogemaw County. This is a Local Agency project. ** 198 Cb **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
218645A Location: Rose City F	23A0526 Road east of Schmitt Road.		STL 65000
Route:			
Classification Ratin	gs		

Cb = 74.26%Ea = 6.30%MOT = 7.06%Misc = 11.66%

N3 = 0.71%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$18,000.00	1100001	1.000	LSUM
0015	Pavt, Cleaning	5010001	1.000	LSUM
0045	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	132.000	Ea
0050	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	132.000	Ea
0090	Monument Box	8210001	2.000	Ea
0095	Monument Preservation	8210010	2.000	Ea



Report v1

Letting ID: 230602 **Call Number:** 047 **Proposal ID:** 77000-210864

Description: 0.94 mi of hot mix asphalt shared-use path, remove and replace concrete sidewalk, ramps and

driveways along Clinton Avenue from Carney Street to Riverside Avenue in the city of St. Clair, St. Clair County. This is a Local Agency project. ** 859 Ea or Comb/Jt. 859 Cb, J **In addition to the

above minimum prequalification requirement for prime contractors this project includes subclassifications of Cb, Ea and Fa. If the prime contractor is not prequalified in those

subclassifications it must use prequalified subcontractors. Those subcontractors must be designated

prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 6.00%

Project Information

Project Number	Federal Project Number	Federal Item Numbe	r Control Section
210864A	23A0501		TA 77000
Location: Clinton Avenue f	rom Carney Street to Riverside	Avenue.	
Route:			
Classification Ratings			
B = 0.05%	Ba = 4.98%	Cb = 15.92%	Ea = 16.90%

Fa = 3.96% Fb = 1.25% I = 1.37% J = 13.20%

K = 8.60% MOT = 2.84% Misc = 26.86% N3 = 2.76%

N6 = 0.45% N93F = 0.03% N93G = 0.06% N96L = 0.12%

N96M = 0.65%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Protection, at Grade Crossing, CSX Transportation	1027060	10,000.000	Dlr
0010	Mobilization, Max\$75,000.00	1100001	1.000	LSUM
0050	_Brick Pavers, Rem, Salv	2047010	208.000	Sft
0055	_Patio Block, Rem, Salv	2047010	65.000	Sft
0060	_Bench, Rem, Salv, Install	2047050	5.000	Ea
0065	_Conc Plaque, Rem, Salv, Install	2047050	4.000	Ea
0330	_Shared Use Path, Grading, Special	8067001	4,400.000	Ft
0405	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0410	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea
0430	Plastic Drum, Fluorescent, Furn	8120252	100.000	Ea

Page: 57 of 67





Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
0435	Plastic Drum, Fluorescent, Oper	8120253	100.000	Ea
0470	_Surface Restoration, Hydroseeding	8167011	6,130.000	Syd





Cost Summaries For Primes

Report v1

Letting ID: 230602 **Call Number:** 048 **Proposal ID:** 46000-215778

Description: 7.15 mi of hot mix asphalt resurfacing, aggregate shoulders and pavement markings on Wolf Creek

Highway/Pentecost Highway from Hunt Road to M-50, Lenawee County. This is a Local Agency

project. ** 897 Cb **

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section		
215778A	23A0538		STL 46000		
Location: Wolf Creek High	way/Pentecost Highway from Hunt Ro	ad to M-50.			
Route:					
Classification Ratings					

_ .

Cb = 79.93% Ea = 5.80% MOT = 2.95% Misc = 9.96%

N3 = 1.37%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$81,000.00	1100001	1.000	LSUM
0020	Pavt, Cleaning	5010001	1.000	LSUM
0075	Monument Box Adj	8210005	9.000	Ea





Cost Summaries For Primes

Report v1

Letting ID: 230602 Call Number: 049 **Proposal ID:** 46000-213152

Description: 2.97 mi of hot mix asphalt resurfacing, aggregate shoulders and pavement markings on Burton Road/Hunt Road From US-223 to Wolf Creek Highway, Lenawee County. This is a Local Agency

project. ** 403 Cb **

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
213152A	23A0540		HIC 46000
Location: Burton Road/Hu	nt Road From US-223 to Wolf Creek H	Highway.	
Route:			

Classification Ratings

Cb = 80.20%Ea = 4.14%MOT = 4.69%Misc = 9.79%

N3 = 1.17%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max36,000.00	1100001	1.000	LSUM
0020	Pavt, Cleaning	5010001	1.000	LSUM
0075	Monument Box Adj	8210005	5.000	Ea



Report v1

Letting ID: 230602 Call Number: 050 **Proposal ID:** 82000-215642

Description: 0.92 mi of hot mix asphalt cold milling and resurfacing, concrete pavement repair, curb ramps, signing and pavement markings on Hannan Road from Van Born Road northerly to Michigan Avenue in the city of Wayne, Wayne County. This is a Local Agency project. ** 1280 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of Ea. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed

low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
215642A	23A0521		STU 82000
Location: Hannan Ro	oad from Van Born Road northerly	to Michigan Avenue.	
Route:			
Classification Ratin	gs		
B = 1.72%	Cb = 49.49%	Ea = 13.61% I :	= 0.53%

J = 0.93%K = 0.34%MOT = 3.49%Misc = 19.45%

N3 = 0.92%N6 = 0.22%N93A = 5.11%N94A = 0.12%

N96L = 4.08%

List of Items by Section

Line Num	Item Description	Item ID	Quantity	Units
0005	_Railroad Protection, at Grade Crossing, Norfolk Southern Railroad	1027060	20,000.000	Dlr
0010	Mobilization, Max\$116,400.00	1100001	1.000	LSUM
0030	_Misc Obstruction, Rem	2047021	5.000	Cyd
0065	Project Cleanup	2090001	1.000	LSUM
0090	Dr Structure, Temp Lowering	4030390	4.000	Ea
0185	Post, Mailbox	8070095	13.000	Ea
0195	_Field Office	8097043	4.000	Мо
0285	Plastic Drum, Fluorescent, Furn	8120252	280.000	Ea
0290	Plastic Drum, Fluorescent, Oper	8120253	280.000	Ea
0350	_Seeding, Mixture THM, Modified	8167011	3,385.000	Syd
0355	_Turf Grading	8167011	2,178.000	Syd

Page: 61 of 67





Cost Summaries For Primes

Report v1

Line Num	Item Description	Item ID	Quantity	Units
0360	Staking Plan Errors and Extras, Max \$180/hour	8240002	4.000	Hr
0365	_Contractor Staking, Modified	8247051	1.000	LSUM





Cost Summaries For Primes

Report v1

Letting ID: 230602 **Call Number:** 051 **Proposal ID:** 58000-214662

Description: Install permanent radar speed feedback signs on Bluebush Road/Stewart Road from Raisinville Road

to US-24, Carleton Rockwood Road from Grafton Road to US-24, N. Dixie Highway from Post Road to Strong Road and Oakville Waltz Road/Milan Oakville Road from Whittaker Road to Exeter Road,

Monroe County. This is a Local Agency project. ** 183 N6 **

DBE Goal Percent: 0.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
214662A	23A0535		HSIP 58000

Location: Bluebush Road/Stewart Road from Raisinville Road to US-24, Carleton Rockwood Road from Grafton Road to US-24, N. Dixie Highway from Post Road to Strong Road and Oakville Waltz Road/Milan Oakville Road from Whittaker Road to Exeter Road.

Route:

Classification Ratings

Ea = 0.27% MOT = 8.79% Misc = 8.44% N6 = 82.51%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$15,000.00	1100001	1.000	LSUM
0035	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	20.000	Ea
0040	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	20.000	Ea





Report v1

Letting ID: 230602 **Call Number:** 052 **Proposal ID:** 74000-218262

Description: 0.50 mi of hot mix asphalt cold milling and resurfacing, concrete curb, gutter and sidewalk ramp work

and pavement markings on Black River Street from Orange Street east to the village limits of Deckerville, Sanilac County. This is a Local Agency project. ** 321 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of J. If the prime contractor is not prequalified in this subclassification it must use a prequalified

subcontractor. This subcontractor must be designated prior to award of the contract to the confirmed

low bidder.

DBE Goal Percent: 4.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
218262A	23A0546		STL 74000
Location: Black River Stree	et from Orange Street east to the villag	ge limits of Deckerville.	

Route:

Classification Ratings

Cb = 44.99% Ea = 8.07% I = 0.85% J = 17.33%

K = 5.20% MOT = 10.24% Misc = 11.87% N3 = 1.42%

N6 = 0.03%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$29,200.00	1100001	1.000	LSUM
0155	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	150.000	Ea
0160	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	150.000	Ea



Report v1

Letting ID: 230602 Call Number: 053 **Proposal ID:** 56000-210252


Description: 0.61 mi of hot mix asphalt reconstruction, concrete paving, curb and gutter, signing and pavement markings on Waldo Road at Monroe Road, Midland County. This is a Local Agency project. ** 879 Ea

DBE Goal Percent: 6.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
210252A	23A0557		HSIP 56000
Location: Waldo Roa	nd at Monroe Road.		
Route:			
Classification Ratin	igs		
B = 6.91%	Cb = 9.85%	Ea = 40.35%	H = 1.18%
J = 9.85%	K = 11.42%	MOT = 5.52%	Misc = 11.45%
N2 = 0.28%	N3 = 1.84%	N6 = 1.01%	N94B = 0.34%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$80,000.00	1100001	1.000	LSUM
0260	Post, Mailbox	8070095	5.000	Ea
0375	Channelizing Device, 42 inch, Fluorescent, Furn	8120035	50.000	Ea
0380	Channelizing Device, 42 inch, Fluorescent, Oper	8120036	50.000	Ea
0400	Plastic Drum, Fluorescent, Furn	8120252	50.000	Ea
0405	Plastic Drum, Fluorescent, Oper	8120253	50.000	Ea
0460	_Turf Establishment, Performance	8167011	3,200.000	Syd
0465	Monument Box	8210001	1.000	Ea
0470	Monument Preservation	8210010	1.000	Ea
0475	Centerline Corrugations, Milled, HMA	8220013	440.000	Ft





Report v1

Letting ID: 230602 **Call Number:** 054 **Proposal ID:** 03000-206346

Description: 0.85 mi of hot mix asphalt and concrete shared-use path, earthwork and restoration along the Blue

Star Highway from the MDOT Park and Ride to Shangrai La Drive, Allegan County. This is a Local Agency project. ** 918 Fa or Comb/Jt. 918 Cb, Ea or Comb/Jt. 918 Cb, J or Comb/Jt. 918 Ea, J **In addition to the above minimum prequalification requirement for prime contractors this project includes

subclassifications of Cb, Ea, Fa and J. If the prime contractor is not prequalified in those

subclassifications it must use prequalified subcontractors. Those subcontractors must be designated

prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 5.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
206346A	23A0492		CM 03000
Location: Blue Star H	lighway from the MDOT Park and	Ride to Shangrai La Drive.	
Route:			
Classification Ratin	gs		
Cb = 11.72%	Ea = 18.89%	Fa = 47.30% I =	= 2.16%
J = 1.73%	K = 1.06%	MOT = 4.70% M	isc = 9.36%

N3 = 0.70% N6 = 0.25% N96M = 2.12%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$80,000.00	1100001	1.000	LSUM
0175	Plastic Drum, Fluorescent, Furn	8120252	200.000	Ea
0180	Plastic Drum, Fluorescent, Oper	8120253	200.000	Ea



Report v1

Letting ID: 230602 **Call Number:** 055 **Proposal ID:** 46000-208264

Description: 3.04 mi of hot mix asphalt cold milling and resurfacing, aggregate shoulders and pavement markings

on Hunt Road from Wolf Creek Highway to Bent Oak Highway, Lenawee County. This is a Local Agency project. ** 524 Cb **In addition to the above minimum prequalification requirement for prime contractors this project includes a subclassification of N9-3A. If the prime contractor is not prequalified in this subclassification it must use a prequalified subcontractor. This subcontractor must be

designated prior to award of the contract to the confirmed low bidder.

DBE Goal Percent: 3.00%

Project Information

Project Number	Federal Project Number	Federal Item Number	Control Section
208264A	23A0538		STUL 46000
Location: Hunt Road f	rom Wolf Creek Hwy to Bent Oak Hig	hway.	
Route:			
Classification Rating	gs		

Cb = 60.31% $Ea = 4.51%$ $K = 1.87%$ $MOT = 4.48$	= 60.31%	Ea = 4.51%	K = 1.87%	MOT = 4.48
---	----------	------------	-----------	------------

Misc = 11.90% N3 = 1.07% N93A = 15.86%

Line Num	Item Description	Item ID	Quantity	Units
0005	Mobilization, Max\$47,000.00	1100001	1.000	LSUM
0025	Dr Structure, Temp Lowering	4030390	14.000	Ea
0030	Pavt, Cleaning	5010001	1.000	LSUM
0095	Plastic Drum, Fluorescent, Furn	8120252	30.000	Ea
0100	Plastic Drum, Fluorescent, Oper	8120253	30.000	Ea
0120	Monument Box Adj	8210005	7.000	Ea